

WiNG-MGR

Firmware Version	Features	Release Date
v3.7.3	> Add support for India 865MHz sensors	8/28/2023
v3.7.0	<ul style="list-style-type: none"> > Added Modbus registers 49001-49016 for RXT ages in minutes > Added color coding to Radio/Manager status page for mismatched radios > Added humidity sensor reading zero to reset all temperature offsets to zero in gui > Added humidity sensor reading offset > Changed alarm page timestamps, added current time to alarm page > Corrected Add a Sensor modal > Changed flash driver for write buffer programming for both the S29GL064S and S29GL064N > Add disable option to sensor discovery > Corrected allowing Modbus/TCP connection to open even if Modbus/TCP slave id is set to 0 > Added MCF_INTCO_IMRL = MCF_INTCO_IMRL_MASKALL; // for jump to the bootloader "copy and boot" > DHCPv4 only process first server response > Downloadable sensors alarm logs (.csv) > Location field included in the alarm email message > Configurable text for inactive/active mode on WING-DI (i.e. "Door Open", "Door Closed") > Editable browser tab title (defaults to product name) > Add support for the WIFI-CO2 sensor <p>Bootloader Version 8.1.1 - 2023-01-12</p> <ul style="list-style-type: none"> > Changed flash driver for write buffer programming for both the S29GL064S and S29GL064N 	1/12/2023
v3.6.0	<ul style="list-style-type: none"> > Supports new WING-CO2 sensor > Added additional diagnostics to support modal > 868 systems - Fixed sensors dropping offline and needing to be added/removed to resume tracking > Fixed e-mails failing to send to multiple recipients 	6/8/2021
v3.5.4	<ul style="list-style-type: none"> > Supports new Wi-Fi sensors: WIFI-LD, WIFI-1WIRE > Added temperature offset functionality for all temperature sensors > Fixed Daylight Savings Time default start / end dates > Added Power/Summary relay functionality 	9/14/2020
v3.4.8	<ul style="list-style-type: none"> > Security updates (Prevent access to sensor data XML and diagnostic pages if user login is required) > Allow relays to be unlatched via modbus > Add check and clear buttons for sensor Discovery 	3/19/2020
v3.4.0	<ul style="list-style-type: none"> > Corrected DHCPv4 client identifier option > Corrected DHCPv4 for servers that do not report rebinding time > Added wingDP inchesofwater and wing airflows for FPS > Corrected Bacnet nstp RS-485 DE watchdog timing (was 100ms from the LD1500) now 600ms > Added support for RLE Wifi-TH packets > Updated bacnet/IPv6 to appendix u. Tested with Yabe. > Include firmware versions in sensor XML export > Added Modbus/TCP check for SEQ_NUM vs ACK_NUM from client (lost packet & retry from client) 	8/12/2019
v3.3.2	<ul style="list-style-type: none"> > Added SNMP Mib download to Communications->SNMP page > Corrected default sysName > Added support for new sensors - Analog, Leak, digital, thermistor > Added decimal point resolution for temperature alarms/warnings > Added low battery alarm flag to modbus/snmp > Added CSV export of modbus registers 	1/25/2018