

STEEL PANEL

Triad Flooring

SOLID RAISED FLOOR PANEL

01 APPLICATIONS: Steel panels are designed to fit into new or existing raised floor systems. With load ratings up to 5,000 pounds, they're ideal for environments with heavy concentrated weights or rolling loads.

02 KEY FEATURES:


- Build in levelers allow you to adjust each corner of the panel independently, so you ensure your floor is level.
 - Available in both Imperial and Metric Sizes
 - Available in a Grey Flek or Crystal White powder coat finish
-

03

WHAT SETS RLE'S STEEL PANEL APART?

- **Patented Integrated Dual Handles** eliminating structural weak points
- **Load rating up to 5,000 pounds** as proven through robust testing
- **Built-in vertical and horizontal levelers** allow you to achieve an even floor in even the most challenging retrofit and aging floor system scenarios.
- **Steel panels are made in the USA** and include a Grey Flek or Crystal White powder coat finish

04 PATENTED AIRFLOW SOLUTIONS FOR EVERY FACILITY: Solid steel panel with built-in handles and levelers; available in a variety of weight ratings.



parameter-tech.com

800-518-1519

sales@parameter-tech.com

V02.26

05 STEEL PANEL: Compatible with all new and existing raised floor systems

Product Codes		
Crystal White	Product Description	Grey Flek
40TSD-CWT	Solid panel; Steel; Imperial sized (24" x 24"); 4000 lb load rating; Available in crystal white or grey flek powder coat	40TSD-GFT
40TSDM-CWT	Solid panel; Steel; Metric sized (600 mm x 600mm); 4000 lb load rating; Available in crystal white or grey flek powder coat	40TSDM-GFT
50TSD-CWT	Solid panel; Steel; Imperial sized (24" x 24"); 5000 lb load rating; Available in crystal white or grey flek powder coat	50TSD-GFT
50TSDM-CWT	Solid panel; Steel; Metric sized (600mm x 600mm); 5000 lb load rating; Available in crystal white or grey flek powder coat	50TSDM-GFT



06 Technical Specifications

Style	Solid Heavy Duty Panel
Included Features	Dual Handles Horizontal & vertical levelers
Composition	Steel
Finish	Powder Coat Colors: Grey flek or crystal white. Other colors available for a set-up charge.
Compatibility	Compatible with all new and existing raised floor systems
Imperial Size	Dimensions: 24" x 24" (610mm x 610mm); 37 lbs. (16.8 kg) Load Rating Available in 4,000 lb or 5,000 lb
Metric Size	Dimensions: 600mm x 600mm; 37 lbs. (16.8 kg) Load Rating Available in 4,000 lb or 5,000 lb
Country of Origin	United States of America

06

Panel Types	Rolling Loads CISCA Method				Safety Factor	Flame Spread	PSA Grade
Cement Fill	10 pass (lbs)	10 pass (N)	10k pass (lbs)	10k pass (N)	Rating	ASTM-E-84	-
SC1000	800	3600	674	3000	3	Class A	Light
SC1250	1000	4500	800	3600	2.8	Class A	Medium
SC1500	1250	5600	1000	4500	3	Class A	Heavy
SC2000	1500	6700	1250	5600	3	Class A	Industrial